



Preface

This design presentation is for ENAW DIALYSIS CENTER located in Benin City, Edo State This design is in response to the project viability on urgent needs for medical centre focus in dialysis treatment.



Lagos Office:

95, Ogudu Road, Ogudu – Ojota

Tel: 234 805 444 5454

Benin Office:

6, Princess Ighiwiyisi Eweka Street, Off Airport Road.

Benin City

ENAW DIALYSIS CENTER

The Enaw dialysis center approach view consist of a large corridor, ramps for easy circulation and movement of patient into the center in need of medical attention



VIEWS





SOUTH WEST VIEW





SOUTH EAST VIEW

APPROACH VIEW

DIALYSIS SPATIAL REQUIREMENTS

SPATIAL REQUIREMENTS






Diagram showing functional relationship of the Enaw Dialysis center

DESIGN BRIEF



BRIEF DESIGN

The Enaw dialysis center consist of spaces such as the

- Entrance porch
- Dialysis room with VIP ward (16 patients)
- Isolation Ward
- Nurse station
- Doctor's Room
- Recovery Room
- Laboratory
- Nurse cloak room
- Rest area

DESIGN OBJECTIVES

The Enaw dialysis center **help people with kidney disease or kidney failure** by offering: Chronic Kidney Disease (Renal Failure) Clinic, where a dedicated team of providers work together to provide comprehensive care to people with kidney disorders





Design goals

The Enaw dialysis center has the capacity to cater to 14 patients having a centralized Nurse Station to attend to the patients, and a general nurse station overviewing both the isolation ward and general ward, inclusive of 2 VIP wards and Isolated Dialysis room. The center caters to a general number of 16 patients in total. The Doctor's room positioned opposite the waiting area brings ease to patients for easy consultations.

It also has provided facilities for recovery/ rest area for patients that have gone through dialysis, a kitchenette for both staff and patient use.

We have also provided a high equipped laboratory at the center. This will help minimize waiting time for laboratory blood works and results for waiting patients.

Design Considerations

To actualize the design of Enaw dialysis center, different consideration where put into place such has:

- **Patient Consideration:** Provision of General wards, Isolation room and 2VIP rooms for individual patient's privacy. We also provide a recovery/rest area with a flexibility in spatial functions for patients and staff
- Staff and Technical Needs: The Staffs needs were catered for in space allocation in the Centre. Cloak room, toilets, Rest Areas and dining kitchenette were provided for their use
- **Circulation space:** Circulation is always an important factor in designing a medical facility like this. Entrance and exits along with the number of people using the facility were considered in their locations with emergency exit in mind.
- Lighting: Light and color affect an individual's perception of space. We achieved this with the provisions of large windows and bright colors of interior spaces and lightings.





PLAN LAYOUT



PLAN LAYOUT



TYPICAL LAYOUT

NURSE CLOAK ROOM- 9.06 SQM W.C- 27.9 SQM

12



SECTIONAL 3D

3D PLAN LAYOUT



3D INTERIOR VIEW



3D INTERIOR




INTERIOR 3D




3D INTERIOR




Option 1






Option 2

DIMENSIONS:



Dimensions

a	Hauteur total du fauteur	1135mm
b	Hauteur du dossier	750mm
с	Hauteur assise	540mm
d	Largeur interieur du dossier	506mm
e	Longueur totale	900mm
1	Longueur inclinée	1730mm




Dimensions assise et largeurs fauteuil

g largeure assise	h largeur fauteuil
380mm	715mm
450mm	71Smm
500mm	715mm
550mm	815mm
600mm	815mm

Hauteurs accoudoirs disponibles


Ŧ	Bas	630 mm
1	Medium	660 mm





k	Profondeur assise	480mm
1	Longueur repose jambs	420mm

Inclinaison

ii inclinaison dossier	110*-140*
ili inclinaison repose jambes	75*-107*
iv inclinaison dossier et assis	e intégrée
	54*-74*









Dimensions

a	Hauteur total du fauteul!	1400mm
b	Hauteur du dossier	850mm
с	Hauteur assise - sol	600mm
d	Longueur totale	1300mm

Reglage de la hauteur du plateau pieds

0	Haut	330mm from seat
	Bas	524mm from seat

g largeure assise h largeur fauteuil		
g argeure assise	n largeur sauceui	
350mm	665mm	
400mm	66Smm	
-450mm	715mm	
500////	765mm	
550mm	BISmm	
600mm	865mm	

Hauteurs accoudoirs

1	9.m	715mm
1	Medium	740mm
k	Haut	765mm

Inclinaison

li inclinaison dossier	90*-130*
ili inclinalson repose jambes	90°-125*
iv inclinaison assise	5"-35"



